

BICON® SAFETY PRODUCTS

## PROTECTIVE WALL CASES

**Protection For Vital Equipment That Must Be Stored In Hostile Environments** 





#### **FIRE EXTINGUISHER WALL CASES**

#### SHELTER FIRE EXTINGUISHERS FROM HOSTILE CONDITIONS WITH ENCON'S FIRE EXTINGUISHER WALL CASES

Provide protection for fire extinguishers to keep them in ready condition by choosing a wall case that resists the corrosive conditions found in most industrial settings. Encon wall cases withstand the harshest of conditions protecting your fire extinguisher so that it will be ready if an emergency arises.

#### Features and Benefits Include:

- · Chemical resistant ABS plastic thermoformed construction
- Corrosion resistant external components
- Rugged oversized hinges
- Bulb rubber gasket provides virtual air tight seal
- · Models with stay clear acrylic viewing window(s)
- Internal dual latch closure with one quarter turn
- High visibility white graphics
- · UV stabilized brilliant red color
- Suitable for 6 to 30 lb. extinguishers-stored pressure or cartridge operated
- · Reinforced case bottom

Compatible with virtually all Fire Extinguishers.



Fire blankets which are meant to provide temporary relief to accident victims can be kept dry and free of debris when stored in an Encon® wall case.



ORDERING INFORMATION		
Part #	Description	
01-3370-02	With Windows In Door	
01-3370-03	With Solid Door	
01-3380-03	Fire Blanket Wall Case	

Ship WT.: 18 lbs. / 11 lbs.

## **DIMENSIONS**



Full Size				
Exterior				
A 16"				
B 31"				
C 11"				



4	Mini				
L	Interior	Exterior			
0	A 11½"	A 16½"			
	B 14"	B 17"			
•	C 10"	C 10½"			

A 34"

B 35"

C 14"

#### **DUAL SCBA WALL CASE**

#### ENCON'S DUAL SCBA WALL CASE STORES TWO SCBA IN USER READY POSITION

Encon's dual wall case provides protection for two self-contained breathing apparatus in locations with corrosive atmospheres. Storage in the wall case ensures the equipment will be in optimal condition for emergency situations.

#### **FEATURES AND BENEFITS INCLUDE:**

- · Holds 2 SCBA or 1 SCBA and 1 spare tank
- Accommodates new wider harness ergonomic
- ABS polymer case resists weathering and corrosion
- Clear polycarbonate windows
- · Heavy duty custom formed stainless steel continuous hinge
- · All stainless external hardware

1.800.283.6266

• Industrial Neoprene® bulb seal between door & case provides excellent seal








FAX 713.466.1703

## **DIMENSIONS**



#### **ORDERING INFORMATION** Description


I dit #	Description
01-3333-01	Dual SCBA wall case

Ship WT.: 35 lbs.

Encon° WWW.ENCONSAFETY.COM



### **DIMENSIONS**



Interior	Exterior
A 18¾"	A 22"
B 34¾"	В 37¾"
C 13¼"	C 13¾"

	Shelf Areas
D	H 9½" X W 18¾" X D 13¼"
Ε	H 24½" X W 18¾" X D 13¼"

#### **EQUIPMENT STORAGE WALL CASES**

#### ENCON'S EQUIPMENT STORAGE WALL CASE PROVIDES A SUPERIOR SEAL TO PROTECT VITAL EQUIPMENT IN A VARIETY OF HOSTILE ATMOSPHERES

Protecting the contents from potentially damaging and corrosive atmospheres is the prime objective of any protective wall case. To ensure safe operating capability of your equipment use Encon's equipment storage wall case.

#### Features and Benefits Include:

- Tamper seal security feature—door cannot be opened without breaking the seal
- Molded plastic construction made of a chemical resistant
- Three well spaced interlocking hinges provide excellent support for the door and reduce door deflection when in the open position
- Bulb rubber gasket provides virtual air tight seal
- Optional large viewing window (clear polycarbonate) positioned on lower portion of door to provide for a SCBA Air Gauge Viewer (AGV)
- Internal dual latch closure allows for two points of contact to help ensure door seal
- Quarter turn handle provides for quick and easy access to
- ABS notched storage shelf for mask/hose attachment
- Heating capability for cold environments (available on specifically ordered models)
- SCBA storage case models offer choice of a fully adjustable steel bracket or ballistic nylon and Velcro® strap retaining
- High visibility black graphics on a choice of listed colors
- Multiple equipment storage options with variety of

Compatible with virtually every available SCBA equipment.


#### CONTACT ENCON® FOR COLORED AND HEATED SCBA WALL CASE PART #'S

	ORDERING INFORMATION			
Part #	Wall Case Description	Part #	Wall Case Description	
WC00Y00A	no shelf, yellow, no graphics	WC20G61B	top shelf, green, electical PPE graphics, AGV window	
WC00Y00B	no shelf, yellow, no graphics, AGV window	WC21Y10B	top shelf, strap, yellow, SCBA graphics, AGV window	
WC00Y10B	no shelf, yellow, SCBA graphics, AGV window	WC22Y10B	top shelf, bracket, yellow, SCBA graphics, AGV window	
WC07Y23B	no shelf, w/hose bracket, yellow, breathing hose graphic, AGV window	WC30G00A	center shelf, green, no graphics	
WC11Y05B	molded top shelf, SCBA strap, yellow, SCBA no time graphics, AGV window	WC30G00B	center shelf, green, window, no graphics, AGV window	
WC11Y10B	molded top shelf, SCBA strap, yellow, SCBA graphics, AGV window	WC30000A	center shelf, safety orange, no graphics	
WC11Y10D	molded top shelf, SCBA strap, yellow, SCBA graphics, AGV window, internal heater	WC30Y00A	center shelf, yellow, no graphics	
WC12G10B	molded top shelf, SCBA steel bracket, green, SCBA graphics, AGV window	WC30Y00B	center shelf, yellow, window, no graphics, AGV window	
WC12G10C	molded top shelf, SCBA steel bracket, green, SCBA graphics, internal heater	WC60000B	top center/lower shelves, safety orange, no graphics, AGV window	
WC12R45B	molded top shelf, SCBA steel bracket, red, SCBA graphics, AGV window	WC60Y00A	top center/lower shelves, yellow, no graphics	
WC12Y10B	molded top shelf, SCBA steel bracket, yellow, SCBA graphics, AGV window	WC60Y40B	top center/lower shelves, yellow, escape respirator graphics, AGV window	
WC12Y10D	molded top shelf, SCBA steel bracket, yellow, SCBA graphics, AGV window & internal heater	WC70000A	center/lower shelves, safety orange, no graphics	

Ship WT.: 43 lbs.

Encon<sup>®</sup> 1.800.283.6266 W W W . E N C O N S A F E T Y . C O M FAX 713.466.1703

#### **CUSTOMIZED WALL CASES**



#### ORDERING INFORMATION

Pick a number corresponding to the desired option and insert the number in the appropiate box. An example has been shown below:

The following order number 43-00110XX was created by select the following options: cabinet style #43 with no shelves, no saddle/bracket, yellow door color, with windows, no lock with special silkscreen graphics.

CASE	¹SHELF	BRACKET	3PAINTED D	OOR COLOR	WINDOW	LOCK	4SILKSCREEN
43	0 NONE	O NONE	1 YELLOW	4 - ORANGE		<b>(0)</b> N0	00 - NO
	2 - VERTICAL ONLY	2 - SADDLE (2)	2 - GREEN	5 - BLUE	1) YES	1 - YES	XX)- YES
	3 - V & H		3 - RED				_
	4 - HORIZONTAL ONLY						
43	0	0		1	1		X X

#### **FOOTNOTES**

- 1 If shelf is selected, bracket cannot be selected. <u>Exception:</u> Case #WC; select shelf options 0, 1, or 2 if bracket is desired.
- 2 LP Low pressure, HP High Pressure
- 3 Standard door color is YELLOW; other door colors are painted. Case #WC is same color back and door. ALL OTHER CASE BACKS ARE BLACK.
- 4 If silkscreen is chosen consult ENCON Customer Service for appropriate order number of last digit.

ONE TIME SILKSCREEN DIE CHARGE FOR CUSTOM SILKSCREENS. CAMERA READY ART WILL BE REQUIRED. MINIMUM ORDER QUANTITIES APPLY

# STANDARD COLOR CHART DOOR GRAPHICS Yellow Black Green White Red White Orange Black Blue White

#### CABINET DIMENSIONS

 For assistance or additional information contact Encon Customer Service at 1-800-AT-ENCON.

#### **UTILITY RESPIRATORY WALL CASES**

#### **ENCON'S UTILITY RESPIRATORY WALL CASE PROVIDES** MUCH NEEDED FLEXIBILITY

The Encon utility wall case offers the versatility to accommodate half-mask and full-facepiece air purified repirators, powered air purifying respirators, airline air respirators as well as 5, 10 and 15 minute egress respirators. The utility wall case guards respirators against airborne gases, mists, vapors and particulates.

#### Features and Benefits Include:

- Chemical resistant ABS plastic thermoformed construction
- Corrosion resistant external components
- Rugged oversized low-friction hinges
- · Bulb rubber gasket provides virtual air tight seal
- · Stay clear acrylic window(s) allow viewing of contents with
- Internal dual latch closure allows for two points of contact to help ensure door seal.
- Quarter turn handle provides for quick and easy access to
- · High visibility black graphics
- · UV inhibitors to assure long lasting color
- · Self-adhesive time/identification labels included

Suitable for storing various half-mask and/or full facepiece air purified, PAPR, airline escape respirator products.

#### **DIMENSIONS Full Size** Interior Exterior A 16" A 11" B 27½" B 31' C 8½" C 11" **Shelf Areas** H 13" X W 11" X D 8½" Mini Interior Exterior A 11½" A 16½" C 10" C 10½"

Airline

**Air Purified** 

**Escape** 

Respirator







#### ORDERING INFORMATION Part # **Full Size** 01-3360-01 With Escape Respirator Graphics With Solid Door & Escape Respirator Graphics 01-3360-02 01-3360-04 With PAPR Graphics 01-3360-05 With Gas Mask Graphics 01-3360-06 With Airline Graphics With Air Purified Graphics 01-3360-07 Part # 01-3380-01 With Escape Respirator Graphics 01-3380-02 With Window In Door & Without Graphics 01-3380-04 With PAPR Graphics 01-3380-05 With Gas Mask Graphics 01-3380-06 With Airline Graphics 01-3380-07 With Air Purified Graphics

Ship WT.: 18 lbs. / 11 lbs.



#### ORDERING INFORMATION Description 01-3390-01 Two Unit Model 01-3391-01 One Unit Model

Ship WT.: 13 lbs. / 9 lbs.

Part #

#### **ESCBA WALL CASES**

#### DEPEND ON ENCON'S ESCBA WALL CASE TO PROTECT ESCAPE RESPIRATORS

To function properly when the need arises, escape respirators must be protected from moisture, ultraviolet light, corrosive atmospheres and airborne particulates. Encon ESCBA wall cases resist weathering, moisture and corrosion to ensure ESCBA equipment stays in ready-to-use condition.

#### FEATURES INCLUDE:

- Chemical resistant ABS plastic thermoformed construction
- Corrosion resistant external components
- Rugged oversized low friction hinges
- Bulb rubber gasket provides virtual air tight
- Stay clear acrylic window(s)

- Available in single or dual unit models
- Internal dual latch closure allows for two points of contact to help ensure door seal.
- Quarter turn handle provides for quick and easy access to case contents
- · High visibility black graphics
- · UV inhibitors to assure long lasting color


Compatible with virtually every available ESCBA equipment.

#### **DIMENSIONS**



## One Unit Model

one out model			
Interior	Exterior		
A 8"	A 12"		
B 20½"	B 23½"		
C 8¾"	C 9½"		



#### Two Unit Model

Interior	Exterior
A 12½"	A 17¾"
B 20½"	B 23½″
C 8¾"	C 9½"

#### **CUSTOMIZED WALL CASES**

#### **DEVELOP SPECIAL STORAGE CASES FOR YOUR APPLICATION**

The Encon® wall case ordering grid (pages 4-5) lets you select a specific wall case with the features needed to meet your special application. Silkscreen graphics allow for rapid identification of the contents specific to the equipment stored. Create a cost effective storage solution with customized wall cases from Encon®

#### FEATURES INCLUDE:

- Chemical resistant ABS plastic case and door\*\*
- Corrosion resistant external components
- Rugged oversized hinges (molded in on case #WC) (A)

#### **OPTIONS AVAILABLE:**

- Five case sizes to choose from
- Shelving configurations and bracket options
- With or without window option (#41, 43 & WC

- Bulb rubber gasket (B)
- Acrylic viewing window (C)
- Clear acrylic on vacuum formed models (except Dual SCBA)
- Clear polycarbonate on ABS structual foam molded models
- Internal latch closure (B & D)
- · Locking capability as option
- Door color options as shown below
- · Custom silkscreens available
- \* Vacuum formed: Cases 41, 42, 43 & 44
- \*\* ABS structual foam molded: Case WC





1.800.283.6266 Encon<sup>®</sup> Encon FAX 713.466.1703 WWW.ENCONSAFETY.COM 1.800.283.6266 FAX 713.466.1703 W W W . E N C O N S A F E T Y . C O M

6825 West Sam Houston Pkwy. North, Houston, TX 77041 Phone: (800) 283-6266 | Fax: (713) 466-1703 www.enconsafety.com | customerservice@enconsafety.com

